# Grandstream 2200 Admin Guide

	GRANDSTREAM	GXP2200	
	10.4.0.159 GXP-2200 4221	○ 10:03	
(* HD *)	Q     R       1     2     3       4     5     6       4     5     6       7     8     9       7os     8     4       8     9     9       9     9     9       10     10     10       10     10     10       11     10     10       12     10     10       13     10     10       14     10     10       15     10     10       16     10     10       17     10     10       10     10     10       10     10     10		
Schmo			

Schmooze Com Inc.

# **Chapters**

Find the IP Address and MAC Address

- Set the Configuration Server
- Reset to Factory Defaults

### Find the IP Address and MAC Address

#### **Quick Steps**

1. Select the "Settings" button.



2. Select "About Phone" option.



3. Scroll down to the IP Address or MAC Address area on the screen.



### Set the Configuration Server

Image Walkthrough

1. Select the "Settings" button.



2. Select the "Advanced Settings" option.



3. Select the "Upgrade" option.

Advanced settings	_	<u> </u>	\$ Q	13:00
Account				
Upgrade				
Syslog				
Factory Reset				

4. Set the "Upgrade Mode". In our example we set this to TFTP.

Upgrade		13:01 🕆 🕆 🖞
Upgrade Mode		$\overline{\mathbf{r}}$
Firmware Upgrade and Pr Always Check at Bootup	ovisioning	$\bigtriangledown$
HTTP/HTTPS User Name:		
HTTP/HTTPS Password:		
Firmware Server Path:	10.10.0.1/grandstrea	m/2

5. Set the "Config Server Path". In our example we set this to 10.10.0.1 .

HTTP/HTTPS User Name:	
HTTP/HTTPS Password:	
Firmware Server Path:	10.10.0.1/grandstream/2
Config Server Path:	10.10.0.1/

#### **Reset to Factory Defaults**

#### **Quick Steps**

1. Select the "Settings" button



2. Select the "Advanced Settings" option.



3. Select the "Factory Reset" option.

Account	
Upgrade	
Syslog	
Factory Reset	

4. Confirm by pressing "Factory Reset" button.





# (920) 886-8130

http://schmoozecom.com