Panasonic KX-TGP550 Admin Guide Panasonic ALL 1 12 3 LINE STATUS 3 2 HOLD VOICE MAIL ^{мпо} EXIT redial/ Pause 5 4 ۳۵ 8 ^{wxyz} MUTE SP-PHONE/ HEADSET $\mathbf{0}$ # STATUS



How To Find IP Address

Quick Steps

1. Press the "Menu" button.



2. Scroll to "IP Service" and press the "Select" button.



3. Scroll to "Network Setting" and press the "Select" button.



4. Scroll to "IP Setting" and press the "Select" button.



5. The IP address will be displayed.



How To Find the MAC Address

Quick Steps

1. Log into the Web Admin GUI of the phone.

?	Authentication Required A username and password are being requested by http://10.4.0.152. The site says: "Authorization"						
User Name:							
Password:							
	Cancel OK						

3. Now select "Reset to Defaults" on the left navigation menu.

Panasonic								
KX-TGP550T04	Status	Network	System	VoIP	Telephone	Maintenance		
Web Port Close		P	Provision	ing Ma	intenance			
Maintenance	Provision	ing Maintena	ince					
Firmware Maintenance	Enable	Provisioning	💿 Yes 🔾 N	0				
Provisioning Maintenance Reset to Defaults	Standar	d File URL	http://10.10.0.1:2004/Config{MAC}.cfg					
Restart	Product	File URL						
	Master I	File URL	○ Yes ⊙ No					
	Cyclic A	uto Resync						
	Resync	Interval	10080 minute(s) [1-40320]					
	Header Resync	Value for Event	check-syn	c				
			Sa	ve (Cancel			

4. Finally click the "Reset Web Settings" button to complete the reset.

Panasonic							
KX-TGP550T04	Status	Network	System	VoIP	Telephone	Maintenance	
Web Port Close			Res	et to D	efaults		
Maintenance	Reset Web	o Data					
Firmware Maintenance	The Web	data for this	unit will be re	eset to it's	default values v	vhen you click [Res	set Web Settings].
Provisioning Maintenance							
Reset to Defaults							
Restan			Re	set Web S	settings		

2. Click on "Network Status" option on the left side.

Panasonic									
KX-TGP550T04	Status	Network	System	VoIP	Telephone	Maintenance			
Web Port Close	Version Information								
Status	Version In	formation							
Version Information	Model			KX-TG	P550T04				
Network Status	Operating BANK Bank2								
VolP Status	IPL Ver	sion		01.02					
				Bank1					
	Firmware Version			Bank2	Bank2: 12.12				

3. The MAC Address will be displayed like below.

Panasonic										
KX-TGP550T04	Status	Network	System	VolP	Telephone	Maintenanc	e			
Web Port Close	Version Information									
Status	Version In	formation								
Version Information	MAC A	ddress		00000	000000					
Network Status VoIP Status	Etherne	et Link Status	(LAN Port)	Connected						

How To Set the Configuration Server

Quick Steps

1. Log into the Web Admin GUI of the phone.



2. Select the "Maintenance" tab at the top right.

.

_

Panasonic										
KX-TGP550T04	Status	Network	System	VolP	Telephone	Maintenar	nce			
Web Port Close	Version Information									
Status	Version Information									
Version Information	Model			KX-TG	KX-TGP550T04					
Network Status	Operati	ng BANK		Bank2	Bank2					
VOIP Status	IPL Ver	sion		01.02						
	-			Bank1	Bank1: 12.12					
	Firmware Version			Bank2	Bank2: 12.12					

3. Next select "Provisioning Maintenance".

Panasonic							
KX-TGP550T04	Status	Network	System	VoIP	Telephone	Maintenance	
Web Port Close		P	rovision	ing Ma	intenance		
Maintenance	Provision	ing Maintena	ince				
Firmware Maintenance	Enable	Provisioning	💿 Yes 🔾 N	0			
Provisioning Maintenance Reset to Defaults	Standar	d File URL	http://10.	10.0.1:2	004/Config{MA	AC}.cfg	
Restart	Product	File URL					
	Master	File URL					
	Cyclic A	uto Resync	🔾 Yes 💽 N	0			
	Resync	Interval	10080	minute(s)	[1-40320]		
	Header Resync	Value for Event	check-syn	c			
			Sa	ve (Cancel		

4. You can now specify the provisioning server information. In our example we are using tftp://10.10.0.1/Config{MAC}.cfg (*Reference the screen above*).

How To Factory Default

Quick Steps

1. Log into the Web Admin GUI of the phone



2. Next select the "Maintenance" tab at the top right.





(920) 886-8130

http://schmoozecom.com